

KISTER, CHAD

BIRTHDATE 07-20-70 DATE 12-23-92

AS III, WHITE, BOXOND 31.5 ASB BLIND SPOT CHECK SIZE III

FIXATION TARGET CENTRAL

10

TIME 10:06:39 AM

ALERT FALL THRESHOLD

RX USED + 0.00 DS

OCX

OCB

PUPIL DIAMETER



NA

FIRSTPAC


B. Masley

RIGHT
AGE 22
STATION LOSSES 0/15
FALSE POS ERRORS 0/5
FALSE NEG ERRORS 0/7
QUESTIONS ASKED 218

TEST TIME 00:08:41
HFA 3 H 500-4897



MD -2.52 DS P < 10%
PSD 2.39 DS
SF 2.49 DS
OSD 0.00 DS



GRAYTONE SYMBOLS

REV ED

0.8	2.5	8	25	79	251	794	2512	7943	2
.1	1	3.2	10	32	100	316	1000	3162	10000
41	36	31	26	21	18	11	6	5	1
50	40	35	30	25	20	15	10	5	1

COLUMBUS OPHTHALMOLOGY
ORLANDO, LOTHES, BERAN
6350 FRANTZ ROAD
DUBLIN, OHIO 43017
614/ 766-2008
HUMPHREY INSTRUMENTS
A CARL ZEISS COMPANY